



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number 2.04
Revision date 05/07/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, AEROSOL
Product Code(s) MCC-SPR2127, MCC-SPR2197
Safety data sheet number AEROSOL-SPR2127
Unique Formula Identifier (UFI) 7J10-8007-000R-RK4R
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cleaning agent Solvent mixture For industrial use only
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

MicroCare UK Ltd
Unit 4, Whitehall Court
Leeds
LS12 5SN
United Kingdom
Tel: +44 (0) 113 3609019
Email: MCCEurope@MicroCare.com
For further information, please contact

Contact Point el: +44 (0) 113 3609019
E-mail address mcceurope@microcare.com

1.4. Emergency telephone number

Emergency Telephone INFOTRAC +44 330 027 0156 (UK)
1-352-323-3500 (from anywhere in the world)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosols	Category 2 - (H223, H229)
Eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H335, H336)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Signal word

Warning

Hazard statements

H223 - Flammable aerosol. H229 - Pressurised container: May burst if heated.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

H336 - May cause drowsiness or dizziness.

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear eye protection/ face protection.

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

100 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Other hazards

No information available.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
trans-1,2-DICHLOROETHYLENE 156-60-5	50 - <100%	01-2120093504-55-0003	205-860-2	Acute Tox. 4 (H332) Aquatic Chronic 3 (H412) Flam. Liq. 2 (H225)	-	-	-
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 68476-85-7	25 - <50%	No data available	270-704-2	Flam. Gas 1 (H220) Press. Gas	-	-	-
Methyl Nonafluoroisobutyl	10 - <25%	01-2119899252-29-0001	422-270-2	No data available	-	-	-

Ether 163702-08-7							
Methyl Nonafluorobutyl Ether 163702-07-6	10 - <25%	01-2119899252-29-00 01	422-270-2	No data available	-	-	-
Denatured Ethanol B100 64-17-5	2.5 - <5%	01-2119457610-43-00 00	200-578-6	No data available	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

No information available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Additional information

EC No (EU Index No) 270-704-2: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0.1 % w/w 1,3-butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-) P210-P403 (Table 3.1) or the S-phrases (2-)9-16 (Table 3.2) should apply. This note applies only to certain complex oil-derived substances in Part 3

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact

Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.

Ingestion

Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.

Self-protection of the first aider

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Effects of Exposure

None.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Water spray.

Large Fire

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.

Other information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections

See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an

area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

Storage class (TRGS 510)

LGK 2B.

7.3. Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
trans-1,2-DICHLOROETHYLENE 156-60-5	-	TWA: 200 ppm TWA: 790 mg/m ³ STEL 800 ppm STEL 3160 mg/m ³	TWA: 200 ppm TWA: 805 mg/m ³	-	TWA: 200 ppm TWA: 806 mg/m ³ STEL: 250 ppm STEL: 1010 mg/m ³
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 68476-85-7	-	-	TWA: 1000 ppm TWA: 1826 mg/m ³	-	TWA: 1000 ppm TWA: 1750 mg/m ³ STEL: 1250 ppm STEL: 2180 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
trans-1,2-DICHLOROETHYLENE 156-60-5	-	TWA: 800 mg/m ³ Ceiling: 1600 mg/m ³	TWA: 200 ppm TWA: 790 mg/m ³ STEL: 400 ppm STEL: 1580 mg/m ³	-	TWA: 200 ppm TWA: 800 mg/m ³ STEL: 250 ppm STEL: 1000 mg/m ³
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 68476-85-7	-	TWA: 1800 mg/m ³ Ceiling: 4000 mg/m ³	-	-	-
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
trans-1,2-DICHLOROETHYLENE 156-60-5	-	TWA: 200 ppm TWA: 800 mg/m ³	-	TWA: 200 ppm TWA: 790 mg/m ³ STEL: 250 ppm STEL: 1000 mg/m ³	TWA: 200 ppm TWA: 800 mg/m ³ STEL: 400 ppm STEL: 1580 mg/m ³
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 68476-85-7	-	-	-	TWA: 1250 ppm TWA: 2250 mg/m ³ STEL: 1250 ppm STEL: 2250 mg/m ³	-

Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
trans-1,2-DICHLOROETHYLENE 156-60-5	TWA: 200 ppm TWA: 790 mg/m ³ STEL: 600 ppm STEL: 2370 mg/m ³	-	-	-	-
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 68476-85-7	-	-	Simple asphyxiant	-	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
trans-1,2-DICHLOROETHYLENE 156-60-5	-	-	-	TWA: 100 ppm TWA: 395 mg/m ³ STEL: 150 ppm STEL: 493.75 mg/m ³	TWA: 700 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
trans-1,2-DICHLOROETHYLENE 156-60-5	TWA: 200 ppm	TWA: 50 ppm TWA: 200 mg/m ³ STEL: 76 ppm STEL: 300 mg/m ³	TWA: 200 ppm TWA: 800 mg/m ³ Ceiling: 1010 mg/m ³	TWA: 200 ppm TWA: 800 mg/m ³ STEL: 400 ppm STEL: 1600 mg/m ³	-
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 68476-85-7	TWA: 1000 ppm	-	-	-	TWA: 1000 ppm
Chemical name	Sweden		Switzerland	United Kingdom	
trans-1,2-DICHLOROETHYLENE 156-60-5	-		TWA: 200 ppm TWA: 790 mg/m ³ STEL: 400 ppm STEL: 1580 mg/m ³	TWA: 200 ppm TWA: 806 mg/m ³ STEL: 250 ppm STEL: 1010 mg/m ³	
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 68476-85-7	-		-	TWA: 1000 ppm TWA: 1750 mg/m ³ STEL: 1250 ppm STEL: 2180 mg/m ³	

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 68476-85-7	-	23.4 mg/kg bw/day [4] [6]	-

Notes

- [4] Systemic health effects.
- [6] Long term.

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.
Hand protection	Impervious gloves. Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Aerosol
Appearance	Clear liquid
Colour	Colourless
Odour	Slight. Ether.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	44 °C	44°C/111.2°F
Flammability	No data available	Flammable
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	< 2 °C	Tag Closed Cup
Autoignition temperature	No data available	
Decomposition temperature		
pH	No data available	
pH (as aqueous solution)	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Water solubility		
Solubility(ies)	No data available	
Partition coefficient	No data available	
Vapour pressure	No data available	
Relative density	1.265 g/mL	
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available Fast

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00	mg/kg
ATEmix (dermal)	99,999.00	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm
ATEmix (inhalation-vapour)	99,999.00	mg/l
ATEmix (inhalation-dust/mist)	99,999.00	mg/l

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS	Not Classified

Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.
Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
trans-1,2-DICHLOROETHYLENE	2.06
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS	2.8

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.
PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

Note: Limited quantity (LQ)
IATA
14.1 **UN number or ID number** UN1950
14.2 **UN proper shipping name** Aerosols, flammable
14.3 **Transport hazard class(es)** 2.1
14.4 **Packing group** N/A
14.5 **Environmental hazards** Not applicable
14.6 **Special precautions for user** Not applicable
Packaging Exceptions Aerosols, Flammable, 2.1, Limited Quantities-Air

IMDG

14.1 **UN number or ID number** UN1950
14.2 **UN proper shipping name** AEROSOLS
14.3 **Transport hazard class(es)** 2.1

14.4 Packing group N/A
 14.5 Environmental hazards Not applicable
 14.6 Special precautions for user Not applicable
 EmS-No. F-D, S-U
 14.7 Maritime transport in bulk according to IMO instruments Not applicable
 Packaging Exceptions Limited Quantities

ADR

14.1 UN number or ID number UN1950
 14.2 UN proper shipping name Aerosols
 14.3 Transport hazard class(es) 2.1
 14.4 Packing group N/A
 14.5 Environmental hazards Not applicable
 14.6 Special precautions for user Not applicable
 Packaging Exceptions Limited Quantities

ADN

14.1 UN number or ID number Not regulated
 14.2 UN proper shipping name Not regulated
 14.3 Transport hazard class(es) Not regulated
 14.4 Packing group None
 14.5 Environmental hazard Not applicable
 14.6 Special precautions for user
 Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
National regulations

Germany

Water hazard class (WGK) non-hazardous to water (nwg)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS - 68476-85-7	28. 29. 75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P3a - FLAMMABLE AEROSOLS

P3b - FLAMMABLE AEROSOLS

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
---------------	--------------------------------	--------------------------------

PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS - 68476-85-7	50	200
---	----	-----

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

15.2. Chemical safety assessment

Chemical Safety Report

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H220 - Extremely flammable gas

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value Sk* Skin designation
+ Sensitisers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	On basis of test data
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable aerosol	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 05/07/2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet